


PROFABACCESS


PROFAB ACCESS Ltd
UNIT 52 FOURWAYS
CARLTON ROAD INDUSTRIAL ESTATE
ATHERSTONE
WARWICKSHIRE
CV9 1LH
TEL: 01827 718222 FAX: 01827 721092
HTTP://WWW.PROFABACCESS.COM


THIS DRAWING IS THE PROPERTY OF PROFAB ACCESS LTD. AND MAY NOT BE
COPIED OR REPRODUCED IN WHOLE OR IN PART WITHOUT THE WRITTEN CONSENT
OF PROFAB ACCESS LTD.

TOLERANCES UNLESS OTHERWISE STATED	
MACHINING:	SHEET METAL:
0.00 Dims = ± 0.10	Folding = ± 0.20
0.0 Dims = ± 0.25	Angling = $\pm 0.25^\circ$
Otherwise = ± 0.50	Otherwise = ± 0.50
ALL DIMS. IN mm DWG. NOT FOR DXF	
PLEASE REMOVE TAGS & SHARP EDGES	
DO NOT SCALE	

FABRICATION DRAWING DETAILS	
PART DESCRIPTION:	PACX-11P-1BF-BL100
GENERAL ASSEMBLY ('X' CROSS-SECTION)	
PRODUCT CODE/SPECIFICATION:	PROFAB FIRE RATED ACCESS PANEL 1000/1FR/BF/PD/BL/SD/RAL9010M
FABRICATION DRAWING NO:	
ISSUE REF:	
DRAWN BY:	
DATE:	
MATERIAL GAUGE & TYPE:	
ZINTEC	
PRODUCT FINISH:	
POLYESTER POWDER COATED	



		PROFAB ACCESS LTD UNIT 52 FOURWAYS CARYLON ROAD INDUSTRIAL ESTATE ATHERSTONE WARWICKSHIRE CV9 1JH TEL: 01827 718222 FAX: 01827 721092 HTTP://WWW.PROFABACCESS.COM		TOLERANCES UNLESS OTHERWISE STATED MACHINING: SHEET METAL: 0.00 Dims = +0.10 0.0 Dims = +0.25 Otherwise = +0.50 Folding = +0.20 Angular = +0.25° Otherwise = +0.50		FABRICATION DRAWING DETAILS PART DESCRIPTION: GENERAL ASSEMBLY ('Y' CROSS-SECTION) PRODUCT CODE/SPECIFICATION: PROFAB FIRE RATED ACCESS PANEL 1000/1FR/BF/PD/BL/SD/RAL9010M		FABRICATION DRAWING NO: PACY-11P-1BF-BL100 ISSUE REF: DRAWN BY: DATE: MATERIAL GAUGE & TYPE: ZINTEC PRODUCT FINISH: POLYESTER POWDER COATED	
THIS DRAWING IS THE PROPERTY OF PROFAB ACCESS LTD. AND MAY NOT BE COPIED OR REPRODUCED IN WHOLE OR IN PART WITHOUT THE WRITTEN CONSENT OF PROFAB ACCESS LTD.		ALL DIMS. IN mm DWG. NOT FOR DXF PLEASE REMOVE TAGS & SHARP EDGES		DO NOT SCALE					



<div><div>PROFAB ACCESS</div><div></div></div>		PROFAB ACCESS LTD UNIT 52 FOURWAYS CARYLON ROAD INDUSTRIAL ESTATE ATHERSTONE WARWICKSHIRE CV9 1UH TEL: 01827 718222 FAX: 01827 721092 HTTP://WWW.PROFABACCESS.COM		TOLERANCES UNLESS OTHERWISE STATED MACHINING: 0.00 DIMS = +0.10 0.10 DIMS = +0.25 Otherwise = +0.50 SHEET METAL: Folding = +0.20 All other = +0.25° Otherwise = +0.50		FABRICATION DRAWING DETAILS		FABRICATION DRAWING NO: PACP-11P-1BF-BL100	
THIS DRAWING IS THE PROPERTY OF PROFAB ACCESS LTD AND MAY NOT BE COPIED OR REPRODUCED IN WHOLE OR IN PART WITHOUT THE WRITTEN CONSENT OF PROFAB ACCESS LTD.		ALL DIMS. IN mm DWG. NOT FOR DXF		PART DESCRIPTION:		ISSUE REF:		DRAWN BY:	
DO NOT SCALE		PLEASE REMOVE TAGS & SHARP EDGES		GENERAL ASSEMBLY (PLAN)		DATE:			
				PRODUCT CODE/SPECIFICATION:		MATERIAL GAUGE & TYPE:			
				PROFAB FIRE RATED ACCESS PANEL		ZINTEC			
				1000/1FR/BF/PD/BL/SD/RAL9010M		PRODUCT FINISH:			
						POLYESTER POWDER COATED			